

**ASSIGNED**

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office..... APR 03 1990 NEW PRIORITY DATE: JAN 8, 1993

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... APR 03 1990

The applicant..... Jesse Knighton

P.O. Box 27053, of Las Vegas,  
Street and No. or P.O. Box No. City or Town

Nevada, hereby make.... application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... an underground source  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is..... 0.046.....second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... N/A

3. The water to be used for..... quasi-municipal purposes  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated..... N/A

(b) Stockwater, state number and kinds of animals to be watered..... N/A

(c) Other use (describe fully under "No. 12. Remarks")..... see item No.12

(d) Power:

(1) Horsepower developed..... N/A

(2) Point of return of water to stream..... N/A

5. The water is to be diverted from its source at the following point NW¼ NE¼ Section 29, T19S, R60E,  
MDB&M or at a point from which the North one-quarter Describe as being within a 40-acre subdivision of public  
(N¼) corner of said Section 29, T19S, R60E, MDB&M bears North 27°37'18" West  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
a distance of 695.00 feet.

6. Place of use..... Southeast quarter (SE¼) of the Northwest quarter (NW¼) of the  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
Northwest quarter (NW¼) of the Northeast quarter (NE¼) of Section 29, T19S,  
R60E, MDB&M, Clark County, Nevada

7. Use will begin about..... January 1st.....and end about..... December 31st....., of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... Drill 8" steel cased well, install 5hp  
submersible pump, wiring, storage tank, State manner in which water is to be diverted, i.e. diversion structure, ditches and  
pressure tank, booster pump, meter and appurtenances  
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... \$18,000.00

10. Estimated time required to construct works.....one year.....  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....three years.....

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Well to service 4 houses

By.....s/Jesse Knighton

Compared.....bc/ap.....bp/se.....

Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.046.....cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....September 12, 1992

Proof of completion of work shall be filed on or before.....October 12, 1992

Application of water to beneficial use shall be made on or before.....September 12, 1995

Proof of the application of water to beneficial use shall be filed on or before.....October 12, 1995

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....JUN 1 - 1993

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.  
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this.....12th.....day of.....September.....

A.D. 19.....90.....  
*R. Michael Turnipseed P.E.*  
State Engineer

(O)-5314 (Rev.)

CANCELLED NOV 30 1992 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
*R. Michael Turnipseed P.E.*  
STATE ENGINEER

Can. Rescinded 5/21/93

CANCELLED JUL 20 1995 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
*R. Michael Turnipseed P.E.*  
STATE ENGINEER  
Can. Rescinded 11-7-95 Ruling # 4244